PAGE NO.

Sr.no.

Tender Documents

For The Fabrication and Supply

Sky Lift of 15 meter working height on Eicher 1110/Tata

Sky Lift of 15 meter working height on Eicher 1110/Tata 1109/Sawraj Mazda

Cost Of The Tender Documents Rs. 1000.00+14% tax 1000+140= 1140.00

# Nagar Nigam Dehradun

# NAGAR NIGAM ,DEHRADUN

# INDEX FOR THE TENDER DOCUMENT

Fabrication and Supply

Of

# Sky Lift of 15 meter working height on Eicher 1110/Tata 1109/Sawraj Mazda

SR	DETAILS		PAGE NO.
NO.	Nagai		
1	Particulars of the tenders		mater (5(3)00/=)
2	Technical and financial bid req	uirements	4-5
3	Two Envelopes to be used for I	inancial	6
	And Technical Bid; Details		
4	Time frame for Supply and ma	intenance	n 4 p 7
5			8
6	other condition		9
7	Instruction, term and condition	s to the	10-11
,	Bidder, regarding earnest mone	ey, security	
	Money, Financial Status and co	edibility	
8	Schedule 'B' for quoting rates		12
0	Fabrication and supply		
9	Technical Specifications of SK	Y LIFT	13-15

# PARTICULARS OF TENDERS

1. Particulars of work	Sky Lift of 15 meter working height
IA RAGAR NR	on Eicher 1110/Tata 1109/Sawraj Mazda
2. Period of supply	within 25 days from the date of Firm order/receipt of chassis Whichever is later
3. Cost of tender form	Rs 1140.00 cash or DD-in The name of Account officer
7. Date and time of opening of T 8. Date and time of opening of F 9 place of opening of tender Exe 10 Period of validity of tender 11 Name and address of the firm	Nagar Nigam Denradun. 2 months
to whom tender documents is	issued
am over must be not less than 2 Crequired earnest money as per 2 %	of the quoted rates

Executive Engineer
Nagar Nigam Dehradun

# TECHNICAL BID AND FINANCIAL BID REQUIREMENTS TENDER NOTICE FOR FABRICATION AND SUPPLY OF

**Fabrication and Supply** 

Of

# Sky Lift of 15 meter working height on Eicher 1110/Tata 1109/Sawraj Mazda IN NAGAR NIGAM DEHRADUN

Tenders are invited from the reputed, capable, efficient and experienced suppliers/ workshops/ firms /companies for the supply and fabrication of Sky Lift of 15 meter working height on Eicher 1110/Tata 1109/Sawraj Mazda with one year warranty against the manufacturing defects.

The tenderer should give a detailed technical proposal to carry out the above job as per the technical bid. The financial shall be opened only after the approval of technical bid from the nagar nigam Dehradun.

All the bidders shall be examined and evaluated first technically and as per the past supply experience and other relevant factors. Detail to be provided with the technical bid.

1 Supply and maintenance (for one year warranty) of Sky Lift

List of ULB, departments

Total no of Sky Lift supplied

Performance certificates copies and order copies issued by the competent authorities.

The bidder must have supplied at least 10 Sky Lift during the last Five years. Copy of letter showing letters of showing satisfaction and any other relevant information.

Turn over must be not less than 2 Cror per year.

Required earnest money as per 2 % of the quoted rates

2 Detail of staff with their technical qualification and workshop details

Detail of staff and their qualification.

- 2.1 Place and location of workshop.
- 2.2 Copy of the registration with the industrial department.
- 2.3 Copy of sanctioning of the power connection taken from the power corporation of the state
- 2.4 At workshop types of machines and their nos.
- 2.5 NSIC & ISO Ragestration
- 2.6 O/M experience
- 2.7 Detail of R&D section of the company if any.
- 2.8 Tenderer must have valid registration certificate for manufacturing of SKY LIFT from SSI and NSIC
- Income tax, sales tax department registration and SSI department registration of the company

Tender can be submitted to the Nagar Nigam Dehradun at the office of Executive Engineer, Nagar Nigam, Dehradun, Before the stipulated date and time. Tender can be also be submitted through registered post or by the hand to the tender box placed at office of Executive Engineer Nagar Nigam, Dehradun before the stipulated date and time. After the stipulated date and time the tender will not be

considered. Delay due to postal services will be the hability of the bidder.

Only the rates or financial hid of such bidder shall be opened or considered those

# ENVELOPS TO BE USED FOR TECHNICAL AND FINANCIAL BID AND MODE OF SUBMISSION.

Separate sealed envelops should be used for technical bid **Envelope'A'** and Financial bid **Envelope 'B'** and both the envelops A and B are to be kept in a bigger envelop which is to be sealed at the time of submission. Open envelops are liable to be cancelled. The envelops must be addressed to Executive Engineer, Nagar Nigam, Dehradun.

Tender can be submitted to the Nagar Nigam Dehradun at the office of Executive Engineer, Nagar Nigam, Dehradun. Before the stipulated date and time. Tender can be also be submitted through registered post or by the hand to the tender box placed at office of Executive Engineer Nagar Nigam, Dehradun before the stipulated date and time. After the stipulated date and time the tender will not be considered. Delay due to postal services will be the liability of the bidder.

Only the rates or financial bid of such bidder shall be opened or considered those who will qualify in the technical bid.

## Very Important

Due to the non compliance of the above tender proposal will be summarily rejected.

# TIME FRAME FOR THE SUPPLYOF SKY LIFT

- 1 After getting the information from Nagar Nigam to the lowest bidder required stamp paper and other formalities for signing contract are to be completed in all respect within 3 days by the lowest / qualified bidder.
- 2 The required supply of equipment is to be delivered as per the supply order at the designated place/ store of Nagar Nigam Dehradun and should be completed within next 30 days from the date of order given by Nagar Nigam Dehradun.
- 3 After completion of the supply the officer in charge will check the newly supplied equipment and after the satisfaction certificates to be issued if required.
- 4 For time over run per day penalty may be imposed which may be rupees 100 per day per equipment after expiry of the stipulated time for supply. Time over run may be exempted for the genuine reasons which are to be forwarded by the office in charge and that may not be considered / exepted by Executive Engineer.

## PAYMENT SCHEDULE

1 After proper supply and inspection of the equipment the payment may be released after recommendation of the technical report of the **officer in charge**/ Executive Engineer prescribed for that work.

2 At the time of payment as per the standard practice of the government department a security of 2.5 % may be withheld unto a maximum of six months. This may be released after six months of proper functioning of the equipment after adjusting the earnest money deposit in shape of Bank Guarantee/FDR/CDR/NSC/DD pledged in the name of Account officer Nagar Nigam Dehradun.

## TIME FRAME FOR THE MAINTENANCE

- 1 There will be a comprehensive maintenance warranty of 12 months from the date of supply.
- 2 Under the definition of Warranty, The maintenance of the equipment the smallest fault is Considered to be covered exept the accidental damage.
- 4 Local availability of educated technical man power and spares for necessary.
- 5 preventive and Corrective maintenance break down services etc within 24 hrs will have to be insured by the Firm during the warranty period.

# OTHER CONDITIONS FOR SUPPLY

1 During the fabrication the authorized person from Nagar Nigam Dehradun may inspect the Workshop/ fabrication place for getting the clear progress of fabrication and for insuring the Quality of product.

2 Nagar Nigam Dehradun has the right to reduce or increase the requirement of the above Supply nos.

4 Validity of the the offer must be 3 months from the date of submission of tender

B) CASTING AND OPENING OF THE TENDER

document should be signed with seal the rate must be quoted in words also

2 Nagar Nigam holds the right to reject any or all the tenders or except any tenders. Analyzing technical bid and financial bid in total or in part of work may be

3 Nagar Nigam has right to change the time of opening of technical and financial

bid at any time.

4 All the information must be in English and figures must be in MKS system.

5 Tender must contain the name, address, place of business, land and mobile nor

email. Website the representative must bring the authorization letter from the

6 Any approach / undue pressure by any firm shall render the tender liable to be rejected.

7 Any tender if deviates from the given terms and conditions and technical

# INSTRUCTIONS TO THE BIDDER AND OTHER TERMS AND CONDITIONS

A) EARNEST MONEY AND THE VALIDITY OF THE TENDER

- 1 Each tender shall be accompanied by the requisite earnest money in the form of Bank Guarantee/FDR/CDR/DD/NSC in favor of Account officer. Nagar Nigam Dehradun.
- 2 Without earnest money tender is liable to be disqualified
- 3 Earnest money shall be returned back after the supply of the equipment at the store at Nagar Nigam Dehradun or may be adjusted in the security deposit if desired by the bidder.
- 4 Validity of the the offer must be 3 months from the date of submission of tender.

B) CASTING AND OPENING OF THE TENDER

- 1 The tender must be newly written, preferably typed every page of the tender document should be signed with seal the rate must be quoted in words also
- 2 Nagar Nigam holds the right to reject any or all the tenders or except any tender after Analyzing technical bid and financial bid in total or in part of work may be decided among various tenders without assigning any reason.
- 3 Nagar Nigam has right to change the time of opening of technical and financial bid at any time .
- 4 All the information must be in English and figures must be in MKS system.
- 5 Tender must contain the name, address, place of business, land and mobile nos, email, Website .the representative must bring the authorization letter from the tendered having reprentative attested signatures.
- 6 Any approach / undue pressure by any firm shall render the tender liable to be rejected.
- 7 Any tender if deviates from the given terms and conditions and technical specifications Specified in the tender shall liable to be rejected

8. On acceptance of the tender, the tenderer will be required to execute an agreement which will be treated as contract for the tendered work on non judicial stamp papers of required value, as per **GO's** provision.

NAGAR NIGAM DEHRADUN

- 9 If tenderer fails to sign the agreement within the stipulated period of 2 days from the date of the confirmation of the lowest bidder its earnest money shall be forfeited by the department.
- 10 The tendering firm/ company should be registered under the relevant statues by the relevant Competent authority. The firm must attach copy of the registration certificates
- 11 The tender price will be inclusive of all taxes and duties, i.e, central/ state and local taxes as **F.O.R Dehradun**

# FINANCIAL STATUS

- 1 Bank guarantee shall be issued by the nationalized bank and duly signed and stamped.
- 2 Income tax returns certificates of at least last 3 years

## CREDIABILTY

The bidder must give an certificate that he has not been or is not blacklisted from any government or semi govt. department.

# NAGAR NIGAM DEHRADUN

#### SCHEDULE 'B' Maximum Height of each

NAME OF THE WORK

Bucket

Insulation of cage

Supply and fabrication of Sky Lift of 15 meter working height on Eicher 1110/Tata 1109/Sawraj Mazda

SNO	DESCRIPTION	QTY	RATE	AMOUNT
			IN Rs	IN Rs

The frame assembly shall house hydraulic tank, turn table assembly, stabilized

Fabrication and supply of Sky Lift of 15 meter working height on Eicher 1110/Tata 1109 /Sawraj Mazda 1 no

> Executive Engineer Nagar Nigam Dehradun

Date:

Place:

Signature of Tenderer he end of upper boom is attached to the lower boom and

## TECHNICAL DETAILS AND SPECIFICATIONS

#### **OF SKYLIFT 2 BOOM TYPE**

1.	Working Height	15 Mtrs.	
2.	Maximum Height of cage floor from groun	13.5 Mtrs.	
3.	Outreach	5.2 Mtrs. (approx. + - 10%)	
4.	Working Load	200 Kg. (Max.)	
5.	Insulation of cage	600 Volts	
6.	Cage size in meters	1110 x 1000 x 700 mm	
7. STAB	Overall height in collapsed position	4.0 Mtrs. (approx. + - 10%)	
8.	Slewing	360 degrees continuous in either direction	
9. to prov suspen sides.	Bucket  Is a solid base for the unit to stand up  son. When retracted, the stabilizer should  The stabilizers shall be provided with swive	Fibre glass bucket suitably reinforced, capable of accommodating 2 persons	

# **DETAIL OF FABRICATION & HYDRAULIC SYSTEM:**

## **SUB FRAME STRUCTURE**

The Sky lift shall be built on rigid fabricated frame bolted to the truck chassis rails. The frame assembly shall house hydraulic tank, turn table assembly, stabilizer assembly and base control console. The truck deck shall be of M.S. chequered plate minimum 4 mm thick with safety railings and shall also include box cum-seat for storage of tools, spares and fittings.

## **BOOMS**

There will be three booms. The booms should be made of structural steel duly painted. The lower boom is attached to the cradle fixed on the turn table assembly. One end of upper boom is attached to the lower boom and other end carries the

workman's cage. Leveling rod system shall pass externally along both the booms to keep the platform vertical in all positions.

#### HYDRAULIC CYLINDER

There will be to heavy duty hydraulic cylinders for lifting the booms made of out of honed medium carbon seamless steel pipes. The rams should be duly ground and chrome plated. The piston of the Hydraulic cylinder should incorporate chevron packing. Similarly, the ram should be provided with chevron packing. The cylinder should be single stage double acting provided with load holding valves to eliminate any possibility of creep. Similarly, there should be two cylinders for stabilizers.

#### **STABILIZERS**

The equipment shall be provided with 2 nos. heavy duty Stabilizers in the form of 'A' frame. The stabilizers should provide stability to the equipment during operation. The hydraulic jacks of the stabilizers should have locking valves so as to provide a solid base for the unit to stand upon independent of the chassis suspension. When retracted, the stabilizer should not extend beyond the vehicle's sides. The stabilizers shall be provided with swivel pads to disperse the imposed load.

## **TURN TABLE**

The turn table shall rest on heavy duty taper roller bearing. It shall be rotated with the help of hydraulic motor through a worm reduction gear for optimum torque and pressure rotation control. The rotation shall be 360 degree continuous in either direction.

## WORKMAN'S CAGE

A workman's cage of FRP moulding shall be provided. The cage shall have opening on three sides for entrance and exit. Dual leveling rods made from steel tubes shall be provided in order to give positive leveling and to avoid swinging and frequent adjustments of the cage.

## HYDRAULIC SYSTEM

Hydraulic pressure to operate the Sky lift shall be developed by a hydraulic pump run off the vehicle's gear box through a power take off unit. The hydraulic circuit shall be protected against over load by incorporation of a relief valve, which by passes pressurized oil back to the tank in the event of safe working limits being exceeded. A large hydraulic reservoir with a built in suction strainer and return line filter element and rigid steel piping shall be used through flexible hoses at joints.

#### **EMERGENCY SYSTEM**

A stand by manually operated hydraulic pump shall be built into the system to retract the booms in the event of failure of the truck engine, power take off unit or the hydraulic pump.

## **CONTROLS**'

Controls for operation of the booms are provided both on the deck of the vehicle as well as in workmen's cage. The control for stabilizers are provided on the deck only. All controls valves with part Relief systems to avoid extra heating of the Hydraulic system for longer life of all hydraulic components and hose-pipes.

## **PAINTING**

The equipment shall be painted as per Purchaser's standard colour scheme.

कार्यालय नगर निगम, देहरादून। निविदा सूचना

नगर निगम, देहरादून द्वारा पथ प्रक्रप्त व्यवस्था हेतु एक 15 मीटर ऊंची हाईड्रोलिक वाहन क्रय करने हेतु तकनीकी एवं विंत्तीय निविदायें सील बन्द लिफाफे में अंकित तिथि को आंमन्त्रित की जाती है। अन्य विवरण www. nagarnigamdehradun.com एवं निगम के सम्बन्धित अनुभाग से प्राप्त की जा सकती है।

वायं का नाम	आंगणन धनरात्रि	धरोहर राहि	निविदा विक्रय तिथि	निविदा खोलने की तिथि
हाईड्रोलिक वाहन 15 मीटर अंचाई	2500000.00	50,000,00	27.07.15 से 13.08.15	14.08.15

पत्रांक :- 619 / न०नि०दे०दून० / 2015

**信**中iの: マア・アッケ

प्रतिलिपि:- हिंग प्रकासित कर बिल एवं समाचार की तीन प्रतियां बिल भुगतान

हेतु नगर तिमाम को उपलब्ध कराने का कर करें। सम्पादक **भिर्म निमान्य के** कृपया निविदा को अपने अगले अंक में प्रकाशित कर बिल एवं समाचार की तीन प्रतियां बिल भुगतान हेतु नगर निगम को उपलब्ध कराने को कह करें।

आई०टी० ऑफिसर को इस निर्देश के साथ प्रेषित की उपरोक्त कार्य की निविदा सम्बन्धि समस्त विवरण नगर निगम देहरादून की www.nagarnigamdehradun.com अपलोड करें।

जिलाधिकारी कार्यालय

नोटिस बोर्ड नगर निगम कार्यालय पर चस्पा करने हेतु।

100-40 000

मुख्य नगर अधिकारी नगर निगम, देहराद्न।